


Fortinet Secure SD-WAN



A Secure SD-WAN, Powered by a Single OS, to Transform and Secure the WAN

As the use of business-critical, cloud-based applications continues to increase, organizations with a distributed infrastructure of remote offices and an expanding remote workforce need to adapt. The most effective solution is to switch from static, performance-inhibited wide-area networks (WANs) to software-defined WAN (SD-WAN) architectures.

Traditional WANs may utilize SLA-backed private multiprotocol label switching (MPLS) or leased line links to an organizations' main data centers for all application and security needs. But that comes at a premium price for connectivity. While a legacy hub-and-spoke architecture may provide centralized protection, it increases latency and slows down network performance to distributed cloud services for application access and compute. The result is operational complexity and limited visibility associated with multiple point products. This scenario adds significant management overhead and difficulties, especially when trying to troubleshoot and resolve issues.

Fortinet's Secure Networking strategy tightly integrates an organization's network infrastructure and security architecture, enabling networks to transform at scale without compromising security. This next-generation approach provides consistent security enforcement across flexible perimeters by combining a next-generation firewall with advanced SD-WAN networking capabilities. This combination paves the way to Fortinet Single-Vendor SASE approach empowering organizations to consistently apply enterprise grade security and superior user experience across all edges converging networking and security across a unified operating system and agent. FortiSASE extends FortiGuard security services across Thin Edge, Secure Edge, and remote users enabling secure access to users both on and off the network. Furthermore, infrastructure networks are simplified by extending SD-WAN into wired and wireless access points of branch offices.

Key Features

- World's only ASICaccelerated SD-WAN
- 5000+ applications identified with real-time SSL inspection
- Self-healing capabilities for enhanced user experience
- Cloud on-ramp for efficient SaaS adoption
- Simplified operations with NOC/SOC management and analytics
- Enhanced granular analytics for end-to-end visibility and control
- Foundational for a singlevendor SASE
- Gartner Magic Quadrant Leader for both SD-WAN and Network Firewalls

Business Outcomes



Improved User Experience

An application-driven approach provides broad application steering with accurate granular identification, advanced WAN remediation, and accelerated cloud on-ramp for optimized network and application performance. Furthermore, a Secure Private Access via FortiSASE to secure access to private applications for remote users.



Accelerated Convergence

The industry's only organically developed, purpose-built, and ASIC-powered SD-WAN enables Secure Edge (FortiGate SD-WAN) and thin edge (FortiExtender Wireless WAN) to transition to Fortinet Single-Vendor SASE solution to secure all applications, users, and data anywhere.



Efficient Operations

Simplify operations with centralized orchestration and enhanced analytics for SD-WAN, security, and SD-Branch at scale.




Comprehensive Security On-prem and in the Cloud

A built-in next-generation firewall (NGFW) combines SD-WAN and security capabilities in a unified solution to preserve the security and availability of the network. In addition, cloud-delivered security (SASE) can also be leveraged by the branches and remote users.

Fortinet Secure SD-WAN Is Foundational for a Seamless Transition to SASE

Fortinet Secure SD-WAN enables organizations to transition to a single-vendor SASE by extending secure access and high-performance connectivity to users regardless of their geographic locations. FortiSASE delivers a full set of networking and security capabilities including secure web gateway (SWG), universal zero-trust network access (ZTNA), next-generation dual-mode cloud access security broker (CASB), Firewall-as-a-Service (FWaaS), and secure SD-WAN integration. With a unified solution, you can:

- Overcome security gaps
- Simplify operations and enhance security and networking analytics
- Shift to an OPEX business model with simple user-based tiered licensing





Fortinet Secure SD-WAN Data Sheet

Core Components

Fortinet Secure SD-WAN consists of the industry's only organically developed software complemented by an ASIC-accelerated platform to deliver the most comprehensive SD-WAN solution.

FortiGate


Provides a broad portfolio available in different form factors: physical appliance and virtual appliances, with the industry's only ASIC acceleration using the SOC4 SPU or vSPU.

- Reduce cost and complexity with next generation firewall, SD-WAN, advanced routing, and ZTNA application gateway on a unified platform that allows customers to eliminate multiple point products at the WAN edge
- ASIC acceleration of SD-WAN overlay tunnels, application identification, steering, remediation, and prioritization ensure the best user experience for business-critical, SaaS, and UCaaS applications

FortiOS

Fortinet's unified operating system delivers a security-driven strategy to secure and accelerate network and user experience. Continued innovation and enhancement enable:

- Real-time application optimization for a consistent and resilient application experience
- Advanced next generation firewall protection and prevention from internal and external threats while providing visibility across entire attack surface
- Dynamic Cloud connectivity and security are enabled through effective cloud integration and automation





Core Components

NOC Operations

Simplify centralized management, deployment, and automation to save time and respond quickly to business demands with end-to-end visibility. With a single pane of glass management that offers deployment at scale, customers can:

- Centrally manage 100K+ devices, including firewalls, switches, access points, and LTE/5G extenders from a single console
- Provision and monitor Secure SD-WAN at the application and network level across branch offices, datacenters, and cloud
- Reduce complexity by leveraging automation enabled by REST APIs, scripting tools such as Ansible/Terraform, and fabric connectors
- Separate and manage domains leveraging ADOMS for compliance and operational efficiency
- Accelerate troubleshooting and enhance user experience with Digital Experience Monitoring (DEM) and AIOps
- Role-based access control to provide management flexibility and separation



FortiGuard Security Services

Enhances SD-WAN security with advanced protection to help organizations stay ahead of today's sophisticated threats:

- Coordinated real-time detection and prevention against known and unknown protecting content, application, people, and devices
- Real-time insights are achieved by processing extensive amounts of data at cloud-scale, analyzing that data with advanced AI, and then automatically distributing the resulting intelligence back for enforcement and protection



Features

	Features	Description
FortiOS — SD-WAN	Application Identification and Control	5000+ application signatures, first packet Identification, deep packet inspection, custom application signatures, SSL decryption, TLS1.3 with mandated ciphers, and deep inspection
	SD-WAN (Application aware traffic control)	Granular application policies, application SLA based path selection, dynamic bandwidth measurement of SD-WAN paths, active/active and active/standby forwarding, overlay support for encrypted transport, Application session-based steering, probe-based SLA measurements
	Advanced SD-WAN (WAN remediation)	Forward Error Correction (FEC) for packet loss compensation, packet duplication for best real-time application performance, Active Directory integration for user based SD-WAN steering policies, per packet link aggregation with packet distribution across aggregate members
	SD-WAN deployment	Flexible deployment – hub-to-spoke (partial mesh), spoke-to-spoke (full mesh), multi-WAN transport support
	SASE	Secure remote users/branches to private applications (Secure Private Access) by establishing IPSec tunnels from SASE PoP to multiple SD-WAN Hubs
FortiOS — Networking	QoS	Traffic shaping based on bandwidth limits per application and WAN link, rate limits per application and WAN link, prioritize application traffic per WAN link, mark/remark DSCP bits for influencing traffic QoS on egress devices, application steering based on ToS marking
	Advanced Routing (IPv4/IPv6)	Static routing, Internal Gateway (iBGP, OSPF v2/v3 , RIP v2), External Gateway(eBGP), VRF, route redistribution, route leaking, BGP confederation, router reflectors, summarization and route-aggregation, route asymmetry
	VPN/Overlay	Site-to-site ADVPN – dynamic VPN tunnels, policy-based VPN, IKEv1, IKEv2, DPD, PFS, ESP and ESP-HMAC support, symmetric cipher support (IKE/ESP): AES-128 and AES-256 modes: CBC, CNTR, XCBC, GCM, Pre-shared and PKI authentication with RSA certificates, Diffie-Hellman key exchange (Group 1, 2, 5, 14 through 21 and 27 through 32), MD5, and SHA-based HMAC
	Multicast	Multicast forwarding, PIM spare (rfc 4601), dense mode (rfc 3973), PIM rendezvous point
	Advanced Networking	DHCP v4/v6, DNS, NAT – source, destination, static NAT, destination NAT, PAT, NAPT, Full IPv4/v6 support
FortiOS — Security	On-prem Security	Next Generation Firewall with FortiGuard threat intelligence – SSL inspection, application control, Intrusion prevention, antivirus, web filtering, DLP, and advanced threat protection. Segmentation – micro, macro, single task VDOM, multi VDOM, ZTNA application gateway
	Cloud-delivered Security	Universal zero-trust network access (ZTNA), next-generation dual-mode cloud access security broker (CASB), Firewall-as-a-Service (FWaaS), secure SD-WAN integration, and hollistic visibility (apps, threats, sessions, policies)
NOC Operations	Centralized Management and Provisioning	FortiManager – zero touch provisioning, centralized configuration, change management, dashboard, application policies, QoS, security policies, application specific SLA, active probe configuration, RBAC, multi-tenant.
		Fabric Overlay Orchestrator capability - is built directly into FortiOS allowing automatic connectivity between devices without FortiManager.
	Cloud Orchestration	FortiManager Cloud through FortiCloud, Single Sign-on portal to manage Fortinet NGFW and SD-WAN, Cloud-based network management to streamline FortiGate provisioning and management, extensive automation-enabled management of Fortinet devices
	Enhanced Analytics	Bandwidth consumption, SLA metrics – jitter, packet loss, and latency, real-time monitoring, filter based on time slot, WAN link SLA reports, per-application session usage, threat information – malware signature, malware domain or URL, infected host, threat level, malware category, indicator of compromise
	Cloud On-ramp	Cloud integration – AWS, Azure, Alibaba, Oracle, Google. AWS – transit, direct and VPC connectivity, transit gateways, Azure – Virtual WAN connectivity, Oracle – OCI connectivity
FortiGate	Redundancy/High-availability	FortiGate dual device HA – primary and backup, FortiManager HA, bypass interface, interface redundancy, redundant power supplies
	Integration	RESTful API/Ansible for configuration, zero touch provisioning, reporting, and third-party integration
	Virtual environments	VMware ESXi v5.5 / v6.0 / v6.5/ v6.7, VMware NSX-T v2.3 Microsoft Hyper-V Server 2008 R2 / 2012 / 2012 R2 / 2016 Citrix Xen XenServer v5.6 sp2, v6.0, v6.2 and later Open source Xen v3.4.3, v4.1 and later KVM qemu 0.12.1 & libvirt 0.10.2 and later for Red Hat Enterprise Linux / CentOS 6.4 and later / Ubuntu 16.04 LTS (generic kernel), KVM qemu 2.3.1 for SuSE Linux Enterprise Server 12 SP1 LTSS Nutanix AHV (AOS 5.10, Prisim Central 5.10) Cisco Cloud Services Platform 2100
	Built-in Variants	POE, LTE, WiFi, ADSL/VDSL



BRANCHES	SMALL RETAIL/ OFFICE	MEI	DIUM RETAIL/BRANCH	I/SMB	LARGE BRAN	CH/CAMPUS
Appliances	40F	60F	70F	80F	100F	200F
IPsec VPN Throughput ¹	4.4 Gbps	6.5 Gbps	6.1 Gbps	6.5 Gbps	11.5 Gbps	13 Gbps
Threat Protection ²	600 Mbps	700 Mbps	800 Mbps	900 Mbps	1 Gbps	3 Gbps
Application Control Throughput ³	990 Mbps	1.8 Gbps	1.8 Gbps	1.8 Gbps	2.2 Gbps	13 Gbps
SSL Inspection Throughput	310 Mbps	630 Mbps	700 Mbps	715 Mbps	1 Gbps	4 Gbps
Unrestricted Bandwidth	\odot	\bigcirc	\odot	\odot	\odot	\odot
Zero Trust Network Access (ZTNA)	\odot	\bigcirc	\odot	\bigcirc	\odot	\odot
Services						
Cloud Management & Analytics		Avai	lable with FGT Cloud M	Management & Analytics lice	nse	
Underlay Monitoring Services		Availa	ble with SDWAN-Unde	erlay Monitoring Services lice	ense	
Connectivity						
Interfaces	5 x GE RJ45	10 x GE RJ45	10 x GE RJ45	8 x GE RJ45	18 x GE RJ45	18 x GE RJ45
				2 x Shared Port Pairs	8 x GE SFP	8 x GE SFP
					2 × 10 GE SFP+	4 × 10 GE SFP+
					4 x Shared Port Pairs	
Hardware Variants	WiFi, 3G4G	WiFi, Storage	Storage	WiFi, Bypass, POE, Storage	Storage	Storage
5G/LTE Connectivity			Supports	FortiExtender		
Extensibility			Supports For	tiAP, FortiSwitch		
Form Factor	Desktop	Desktop		Desktop	1RU	1RU
Power Supply	Single AC PS	Single AC PS	Single AC PS	Single AC PS, dual inputs	Dual AC PS	Dual AC PS

¹ The IPsec VPN performance test uses AES256-SHA256



 $^{2\; {\}hbox{\scriptsize SSL Inspection performance values use an average of HTTPS sessions of different cipher suites}\\$

³ IPS, Application Control, NGFW, and Threat Protection are measured with logging enabled

HUBS

вк	AΝ	СΗ	вu	NDL	_ES

FortiGate Unified Threat Protection	40F	60F	70F	80F	100F	200F
Base	FG-40F-BDI-950-DD	FG-60F-BDI-950-DD	FG-70F-BDI-950-DD	FG-80F-BDI-950-DD	FG-100F-BDI-950-DD	FG-200F-BDI-950-DD
Wifi Variant	FWF-40F-A-BDL-950-DD	FWF-60F-A-BDL-950-DD		FWF-80F-2R-A-BDL- 950-DD		
LTE Variant	FG-40F-3G4G-BDL- 950-DD					
Wifi + LTE Variant	FWF-40F-3G4G-A-BDL- 950-DD					
Storage Variant		FG-61F-BDL-950-DD	FG-71F-BDL-950-DD	FG-81E-BDL-950-DD	FG-101F-BDL-950-DD	FG-201F-BDL-950-DD
Wifi + Storage Variant		FWF-61F-A-BDL-950-DD		FWF-81F-2R-A-BDL- 950-DD		
Bypass				FG-80F-BYPASS-BDL- 950-DD		
POE				FG-80F-POE-BDL-950-DD		
Renewal						
Base	FC-10-0040F-950-02-DD	FC-10-0060F-950-02-DD	FC-10-0070F-950-02-DD	FC-10-0080F-928-02-DD	FC-10-F100F-928-02-DD	FC-10-F200F-928-02-DD
Wifi Variant	FC-10-W040F-928-02-DD	FC-10-W060F-950-02-DD		FC-10-W080F-950-02-DD		
LTE Variant	FC-10-F40FG-950-02-DD					
Wifi + LTE Variant	FC-10-F40FI-950-02-DD					
Storage Variant		FC-10-0061F-950-02-DD	FC-10-0071F-950-02-DD	FC-10-0081F-950-02-DD	FC-10-F101F-950-02-DD	FC-10-F201F-950-02-DD
Wifi + Storage Variant		FC-10-W061F-950-02-DD		FC-10-W081F-950-02-DD		
Bypass				FC-10-F80FC-950-02-DD		
POE				FC-10-F80FP-950-02-DD		
Services						
FGT Cloud Management & Analytics (base)	FC-10-0040F-131-02-DD	FC-10-FG60F-131-02-DD	FC-10-0070F-131-02-DD	FC-10-0080F-131-02-DD	FC-10-F100F-131-02-DD	FC-10-F200F-131-02-DD
SDWAN-Underlay Monitoring Services (base)	FC-10-0040F-288-02-DD	FC-10-FG60F-288-02-DD	FC-10-0070F-288-02-DD	FC-10-0080F-288-02-DD	FC-10-F100F-288-02-DD	FC-10-F200F-288-02-DD

Appliances	400F	600F	1000F	1800F	2200E	2600F
IPsec VPN Throughput ¹	55 Gbps	55 Gbps	55 Gbps	55 Gbps	98 Gbps	55 Gbps
Max IPsec Tunnels ¹	50,000	50,000	100,000	100,000	100,000	100,000
Threat Protection ²	9 Gbps	10.5 Gbps	13 Gbps	15 Gbps	11 Gbps	25 Gbps
SSL Inspection Throughput ³ (IPS, avg. HTTPS)	8 Gbps	9 Gbps	10 Gbps	12 Gbps	17 Gbps	20 Gbps
Services						
Cloud Management & Analytics		Ava	ilable with FGT Cloud Ma	nagement & Analytics lice	nse	
Underlay Monitoring Services		Avail	able with SDWAN-Underl	ay Monitoring Services lic	ense	
Connectivity						
100GE QSFP28			\bigcirc			\odot
40GE QSFP+			\bigcirc	\odot	\odot	\odot
25GE SFP28		\odot	\bigcirc	\odot	\odot	\odot
10GE SFP+	\odot	\bigcirc	\bigcirc	\odot	\odot	\odot
1GE SFP/RJ45		\odot	\bigcirc	\odot	\odot	\odot
Hardware Variants						
Built-in Storage	\odot	\bigcirc	\bigcirc	\odot	\odot	\bigcirc

 \odot

 \odot

 \odot

 \odot

 \bigcirc



Bypass

DC Power

Redundant Hot-Swap PSUs

 \odot

 \odot

 \odot

HUBS					
Appliances	3000F	3300E	3400E	3500F	3700F
IPsec VPN Throughput ¹	105 Gbps	98 Gbps	140 Gbps	165 Gbps	160 Gbps
Max IPsec Tunnels ¹	200,000	200,000	200,000	200,000	200,000
Threat Protection ²	33 Gbps	17 Gbps	25 Gbps	63 Gbps	75 Gbps
SSL Inspection Throughput ³ (IPS, avg. HTTPS)	29 Gbps	21 Gbps	30 Gbps	63 Gbps	55 Gbps
Connectivity					
400GE QSFP-DD					\bigcirc
200GE QSFP56					\odot
100GE QSFP28	\odot		\odot	\bigcirc	\odot
50GE SFP56					\odot
40GE QSFP+	\odot	\odot	\odot	\bigcirc	\odot
25GE SFP28	\odot	\odot	\odot	\bigcirc	\odot
10GE SFP+	\odot	\odot	\odot	\bigcirc	\odot
1GE SFP/RJ45	⊘		\odot	\bigcirc	\odot
Hardware Variants					
Built-in Storage	\odot	\odot	\odot	\odot	\odot
Bypass					
Redundant Hot-Swap PSUs	\odot		\odot	\odot	\odot
DC Power			\odot		

¹ The IPsec VPN performance test uses AES256-SHA256

³ IPS, Application Control, NGFW, and Threat Protection are measured with logging enabled

HUBS					
Appliances	3960E	3980E	4200F	4400F	4800F
IPsec VPN Throughput ¹	280 Gbps	400 Gbps	210 Gbps	310 Gbps	800 Gbps
Max IPsec Tunnels ¹	200,000	200,000	200,000	200,000	200,000
Threat Protection ²	13.5 Gbps	20 Gbps	45 Gbps	75 Gbps	75 Gbps
SSL Inspection Throughput ³ (IPS, avg. HTTPS)	23 Gbps	26 Gbps	50 Gbps	86 Gbps	63 Gbps
Connectivity					
400GE QSFP-DD					\bigcirc
200GE QSFP56					\bigcirc
100GE QSFP28	\odot	\odot	\odot	\odot	\bigcirc
50GE SFP56					\bigcirc
40GE QSFP+	\odot	\odot	\odot	\odot	\bigcirc
25GE SFP28			\odot	\odot	\bigcirc
10GE SFP+	\odot	\odot	⊘	\odot	\bigcirc
1GE SFP/RJ45	\odot	\odot	\odot	\odot	\odot
Hardware Variants					
Built-in Storage			\odot	\odot	\bigcirc
Bypass					
Redundant Hot-Swap PSUs	\odot	\odot	\odot	\odot	\odot
DC Power	\odot	\otimes	\odot	\odot	

¹ The IPsec VPN performance test uses AES256-SHA256



² SSL Inspection performance values use an average of HTTPS sessions of different cipher suites

² SSL Inspection performance values use an average of HTTPS sessions of different cipher suites

³ IPS, Application Control, NGFW, and Threat Protection are measured with logging enabled

HUB BUNDLES

FortiGate Unified Threat Protection	400F	600F	1000F	1800F	2200E	2600F
Base	FG-400F-BDL- 950-DD	FG-600F-BDL- 950-DD	FG-1000F-BDL-950-DD	FG-1800F-BDL-950-DD	FG-2200E-BDL-950-DD	FG-2600F-BDL-950-DE
Storage Variant	FG-401F-BDL-950-DD	FG-601F-BDL-950-DD	FG-1001F-BDL-950-DD	FG-1801F-BDL-950-DD	FG-2201E-BDL-950-DD	FG-2601F-BDL-950-DD
Bypass						
DC Power Variant				FG-1800F-DC-BDL- 950-DD		FG-2600F-DC-BDL- 950-DD
Storage + DC Power Variant				FG-1801F-DC-BDI -		FG-2601F-DC-BDI-

Storage + DC Power Variant				FG-1801F-DC-BDL- 950-DD		FG-2601F-DC-BDL- 950-DD
Renewal						
Base	FC-10-0400F-950-02-DD	FC-10-0600F-950-02-DD	FC-10-F1K0F-950-02-DD	FC-10-F18HF-950-02-DD	FC-10-F22HE-950- 02-DD	FC-10-F26HF-950- 02-DD
Storage Variant	FC-10-0401F-950-02-DD	FC-10-0601F-950-02-DD	FC-10-F1K1F-950-02-DD	FC-10-F18F1-950-02-DD	FC-10-F22E1-950-02-DD	FC-10-F26F1-950-02-DD
Bypass						
DC Power				FC-10-D18HF-950-02-DD		FC-10-FD26F-950-02-DD
Storage + DC Power Variant				FC-10-D18F1-950-02-DD		FC-10-FD261-950-02-DD
Services						
FGT Cloud Management & Analytics (base)	FC-10-0400F-131-02-DD	FC-10-0600F-131-02-DD	FC-10-F1K0F-131-02-DD	FC-10-F18HF-131-02-DD	FC-10-F22HE-131-02-DD	FC-10-F26HF-131-02-DD
SDWAN-Underlay Monitoring Services (base)	FC-10-0400F-288-02-DD	FC-10-0600F-288-02-DD	FC-10-F1K0F-288-02-DD	FC-10-F18HF-288-02-DD	FC-10-F22HE-288- 02-DD	FC-10-F26HF-288- 02-DD
Licenses						
HyperScale				LIC-FG18F-HYPSC		LIC-FG26F-HYPSC
Carrier						

HUB BUNDLES					
FortiGate Unified Threat Protection	3000F	3300E	3400E	3500F	3700F
Base	FG-3000F-BDL-950-DD	FG-3300E-BDL-950-DD	FG-3400E-BDL-950-DD	FG-3500F-BDL-950-DD	FG-3700F-BDL-950-DD
Storage Variant	FG-3001F-BDL-950-DD	FG-3301E-BDL-950-DD	FG-3401E-BDL-950-DD	FG-3501F-BDL-950-DD	FG-3701F-BDL-950-DD
Bypass					
DC Power Variant			FG-3400E-DC-BDL-950-DD		
Storage + DC Power Variant			FG-3401E-DC-BDL-950-DD		
Renewal					
Base	FC-10-F3K0F-950-02-DD	FC-10-F33HE-950-02-DD	FC-10-F3K4E-950-02-DD	FC-10-F3K5F-950-02-DD	FC-10-F3K7F-950-02-DD
Storage Variant	FC-10-F3K1F-950-02-DD	FC-10-F33E1-950-02-DD	FC-10-F34E1-950-02-DD	FC-10-F35F1-950-02-DD	FC-10-F37F1-950-02-DD
Bypass					
DC Power			FC-10-FD3K4-950-02-DD		
Storage + DC Power Variant			FC-10-FD34E-950-02-DD		
Services					
FGT Cloud Management & Analytics (base)	FC-10-F3K0F-131-02-DD	FC-10-F33HE-131-02-DD	FC-10-F3K4E-131-02-DD	FC-10-F3K5F-131-02-DD	FC-10-F3K7F-131-02-DD
SDWAN-Underlay Monitoring Services (base)	FC-10-F3K0F-288-02-DD	FC-10-F33HE-288-02-DD	FC-10-F3K4E-288-02-DD	FC-10-F3K5F-288-02-DD	FC-10-F3K7F-288-02-DD
Licenses					
HyperScale	LIC-FG30F-HYPSC			LIC-FG35F-HYPSC	
Carrier	FCR-EUPG	FCR-EUPG	FCR-EUPG	FCR-EUPG	FCR-EUPG



HUB BUNDLES					
FortiGate Unified Threat Protection	3960E	3980E	4200F	4400F	4800F
Base	FG-3960E-BDL-950-DD	FG-3980E-BDL-950-DD	FG-4200F-BDL-950-DD	FG-4400F-BDL-950-DD	FG-4800F-BDL-950-DD
Storage Variant			FG-4201F-BDL-950-DD	FG-4401F-BDL-950-DD	FG-4801F-BDL-950-DD
Bypass					
DC Power Variant	FG-3960E-DC-BDL-950-DD	FG-3980E-DC-BDL-950-DD	FG-4200F-DC-BDL-950-DD	FG-4400F-DC-BDL-950-DD	
Storage + DC Power Variant			FG-4201F-BDL-950-DD	FG-4401F-DC-BDL-950-DD	
Renewal					
Base	FC-10-03961-950-02-DD	FC-10-03981-950-02-DD	FC-10-F42HF-950-02-DD	FC-10-F44HF-950-02-DD	FC-10-F48HF-950-02-DD
Storage Variant			FC-10-F421F-950-02-DD	FC-10-F441F-950-02-DD	FG-4801F-BDL-950-DD
Bypass					
DC Power	FG-3960E-DC-BDL-950-DD	FC-10-03980-950-02-DD	FC-10-D42HF-950-02-DD	FC-10-D44HF-950-02-DD	
Storage + DC Power Variant			FC-10-F421F-950-02-DD	FC-10-D441F-950-02-DD	
Services					
FGT Cloud Management & Analytics (base)					
SDWAN-Underlay Monitoring Services (base)	FC-10-03961-288-02-DD	FC-10-03981-288-02-DD	FC-10-F42HF-288-02-DD	FC-10-F44HF-288-02-DD	FC-10-F481F-288-02-DD
Licenses					
HyperScale			LIC-FG42F-HYPSC	LIC-FG44F-HYPSC	LIC-FG48F-HYPSC
Carrier	FCR-EUPG	FCR-EUPG	FCR-EUPG	FCR-EUPG	FCR-EUPG

	FORTIGATE VM: PRIVATE CLOUD SUPPORT MATRIX								
	VMware VSphere	Citrix Xen	Xen	KVM	Microsoft Hyper-V	Nutanix AHV			
FG-VM	\odot	\odot	\bigcirc	\bigcirc	\bigcirc	\bigcirc			

FORTIGATE VM: PUBLIC CLOUD SUPPORT MATRIX									
	Amazon AWS	Microsoft Azure	Oracle OCI / OPC	Google GCP	Alibaba AliCloud				
FG-VM	⊘ / #	⊘/#							

	PROFESSIONAL SERVICES PACKAGES				
	Standalone Site	Hub and Spoke (Single DC)	Hub and Spoke with ZTP (Single DC)		
SDWAN FortiGate Deployment QuickStart Service	FP-10-QSSDWAN-DP1-00-00	FP-10-QSSDWAN-DP2-00-00	FP-10-QSSDWAN-DP3-00-00		
The QuickStart SD-WAN service is a consulting services that provides assistance for the deployment of a pre-defined FortiGate SD-WAN configuration into a customer's environment					



		FOR	TIMANAGER: C	ENTRALIZED I	MANAGEMENT	PLATFORM				
				Hardwa	ire				Subscription	
	:	200G	400G	1000F	3	3000G	3700G	Cloud	VM	
efault Devices/VDOMs		30	150	1,000		4,000	10,000		10	
ax Devices/VDOMs with cense	Devices/VDOMs with add-on se					8,000		10,000	100,000	
efault ADOMs		30	150	1,000		4000	10,000		Add-On	
ax ADOMs with add-on	license					8,000	12,000		1,200	
anagement Extension A MEA) enabled	pplication					\odot	\odot		\odot	
dditional Services										
FortiCare Premium Contract			Subscription			\odot		\odot		
FortiCare Elite Contract				Subscript	ion			No		
ortiCare Best Practice S	ervices (BPS)		Included	in hardware bu	ındle + a la cart	te		\odot	\bigcirc	
eplacement Disks						\odot	\odot			
ow to Buy	Hardwa	are Bundle Har	dware Bundle	Hardware Bu	ındle Hardw	are Bundle	Hardware Bund	lle Multi-Device Subscription		
FORTIMANAGER BUNI	DLES									
ppliances	20	00G	400G		100	OF	30	00G	3700G	
ardware Bundle	FMG-200G	-BDL-447-DD	FMG-400G-BI	DL-447-DD	FMG-1000F-I	BDL-447-DD	FMG-3000G	-BDL-447-DD	FMG-3700G-BDL-447-D	
enew Bundle	FC-10-M200	OG-447-02-DD	FC-10-M400G-	-447-02-DD	FC-10-FM1KF	-447-02-DD	FC-10-M03k	G-447-02-DD	FC-10-M3K7G-447-02-I	
ipport-only Renewal		0G-247-02-DD	FC-10-M400G-247-02-DD		FC-10-FM1KF		FC-10-M03KG-247-02-DD		FC-10-M3K7G-247-02-I	
placement Disks										
eplacement Disk SKU			SP-FMG1KF-HDD		IKF-HDD	SP-D4TC		SP-DAM37G4T		
eplacement PSUs										
eplacement PSU SKU	SP-FAT	0400F-PS	SP-FAZ80	ING-PS	SP-FMG4	100E-PS	SP-FA73	3000G-PS	SP-FAZ3700F-PS	
.,										
	10.0	400.0		FORTIMANAG						
	10 Devices	100 Device			0 Devices			Descripti		
ubscription Bundles	FC1-10-FMGVS-448- 01-DD			-448- FC3-10-FMGVS-448-01-DD			All in one subscription bundle including FortiManager VM S-se FortiCare Premium Contract, and FortiCare Best Practice servi Fully stackable.			
	10 Devices	100 Device	s 10	000 Devices	5000 [Devices		Descripti	on	
erpetual License	FMG-VM-10-UG	FMG-VM-100-			FMG-VM	-5000-UG	Perpetual license. Purchase FortiCa FortiCare Best Practices services sep managed devices is		parately. Only the numbe	
			F	ORTIMANAGE	R CLOUD					
	10 Device	es	100 Device		1000 Dev	rices				
ulti-Device Subscription				2-10-MVCLD-227-01-DD FC3-10-MVCLD-227			 FortiManager Cloud Central Management & Orchestration Servincluding 24×7 FortiCare support. Fully Stackable. 			
			FORTIMANAC	GER VM: PRIVA	TE CLOUD SUP	PPORT				
	VMware	Citrix Xen	KV	M N	licrosoft Hyper	r-V N	utanix AHV	Oracle Private Clo	oud OpenSource Xe	
MG-VM	\odot	\odot	⊘)	\odot		\odot	\odot	\odot	
			FORTIMANA	GER VM: PUBL	IC CLOUD SUP	PORT				
	Amazon A	Amazon AWS Microsof					Oracle OCI / OPC			
MG-VM	\odot	\odot			\odot			\odot		
		FORTIMON	ITOR: SD-WAN	SYNTHETIC TI	RANSACTION N	MONITORING	(STM)			
	SOLUTION BUNDLE			SKU LICENSE			SD WAN STM BUNDLE			
so	DLUTION BUNDLE			10-Pack			FC1-10-MNCLD-672-01-12			
WAN STM Application	Monitoring Retrieves NT			10-	-Pack			FC1-10-MINGLD	1-0/2-01-12	
O WAN STM Application lokup time, HTTPS respo		st custom and			-Pack -Pack			FC2-10-MNCLD		
D WAN STM Application lokup time, HTTPS respo	Monitoring Retrieves NT inse time, and RTT again all SD WAN connections	st custom and		25					0-672-01-12	
O WAN STM Application of the community o	Monitoring Retrieves NT inse time, and RTT again all SD WAN connections	st custom and		25 500	-Pack			FC2-10-MNCLD	0-672-01-12 0-672-01-12	



Considerations for Branch and Hub Selection

Selecting the Branch or HUB devices depends on multiple factors that are unique to each deployment. Speak with a Fortinet specialist for assistance selecting the right devices for your environment. Below are the most common selection criteria and some commonly selected Hub devices, based on deployment sizes (for reference purposes only).

Branch Selection

- Security requirements
- Number of users
- Throughput
- Interface connectivity
- Wireless requirements
- Redundancy (WAN, Power, IPsec Tunnels, Device)

HUB Selection

- Security requirements
- IPsec throughput
- Total IPsec Tunnels
- Interface connectivity
- Redundancy (Ports, Device, Power, Intra-site)
- AC or DC Power

Hub Sizing Examples (reference only)

- Up to 500 Sites (400F-600F)
- Up to 2000 Sites (1100E-1800F)
- Up to 5000 Sites (2200E-2600F)
- Up to 10 000 Sites (3000F-3600E)
- Beyond 10 000+ Sites (3960E-4400F)

NSE Training and Certification

Fortinet NSE 7: SD-WAN

Instructor-led learning of the most common SD-WAN scenarios, from single Enterprise location with SASE, to multi-data center and custom apps deployments:

• FT-SD-WAN - NSE7/SD-WAN Training - three days

Certification Exams

NSE7 Network Security Architect:

• NSE-EX-CERT

Prerequisites

Advanced networking skills and hands-on experiene with FortiGate and FortiManager. The following courses are recommended:

- NSE4 FortiGate Security
- NSE4 FortiGate Infrastructure
- NSE5 FortiManager

References

Training Library click here.



Fortinet Secure SD-WAN Data Sheet

Frequently Asked Questions

Is there an extra license to use SD-WAN with FortiGate?

No, SD-WAN is a feature included in FortiOS at no additional cost. Fortinet recommends purchasing security subscription services as necessary and utilizing a FortiManager for central management.

Are there any bandwidth licensing or restrictions?

Fortinet does not charge for bandwidth usage and you are free to use as much as the box will physically support.

I don't see any Orchestration models or pricing, is that an additional cost?

FortiGate SD-WAN intelligence and self-healing is built into the box without the need of a traditional orchestrator. There is no additional cost or sizing considerations for an orchestrator.

To centrally manage and monitor your SD-WAN devices, we recommend purchasing the FortiManager based on total number of devices that will be managed.

Where can I deploy a FortiGate SD-WAN device?

FortiGate models are available as a physical appliance or as a virtual machine that can be deployed in private or public clouds. Please see the FortiGate-VM Support Matrix for a comprehensive list of supported hypervisors and public cloud marketplaces: FortiGate VM datasheets click here.

Which FortiGate models can be utilized as a SD-WAN Hub?

Any FortiGate model can be utilized as an SD-WAN Hub or Branch. This guide provides guidance on Branch and Hub models based on common deployment use cases.

Which interfaces can be utilized as WAN ports?

There is no restriction on how you use any of the interfaces. Physical models will traditionally have designated "WAN" ports but you may also utilize any of the available LAN or DMZ ports as a WAN interface.

Why is "Maximum IPSec Tunnels" omitted for Branches?

IPSec phase1 interfaces have no hard limit and are only limited by system memory. Our tests have shown to support several hundred tunnels on even the smallest box but varies based on many factors.

How is FortiMonitor Synthetic Transaction Monitoring (STM) priced?

A "Pack" refers to the total number of FortiGates that will integrate with FortiMonitor OnSight agents. Agents integrate with SD-WAN to monitor all available WAN underlay links. There is no licensing limits on the number of WAN underlay links to be monitored.

Example: 10-Pack includes 10 FortiGates, 25-Pack includes 25 FortiGates

How is "Threat Protection" measured and what does it include?

Threat Protection performance is measured with Firewall, IPS, Application Control, URL Filtering and Malware Protection enabled, Enterprise Mix traffic.

What does the "Unified Threat Protection" license include?

The Unified Threat Protection license includes: IPS, Advanced Malware Protection, Application Control, Botnet DB, Mobile Malware, Outbreak Prevention, Web & Video Filtering, Cloud sandbox, Secure DNS filtering, AntiSpam Service, and 24×7 support. For more information, please visit:

FortiGuard Security Services datasheet click here.

What are the maximum values for SD-WAN components, such as rules and performance SLA's?

The maximum system values for all FortiGates can be found here:

Maximum Values Table click here.

What do I need for Zero Touch Provisioning (ZTP)?

ZTP can be accomplished a number of different ways. For most deployments, we recommend purchasing FortiDeploy (FDP-SINGLE-US) with your purchase order. FortiDeploy will link the serial numbers in your order to your FortiCloud account. A FortiManager IP address can be assigned to your devices automatically so they retrieve their configuration automatically from the FortiManager of your choice.



Support



FortiGuard Bundles

FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with one of these FortiGuard Bundles.


FortiCare Elite

FortiCare Elite services offers enhanced service-level agreements (SLAs) and accelerated issue resolution. This advanced support offering provides access to a dedicated support team. Single-touch ticket handling by the expert technical team streamlines resolution. This option also provides Extended End-of-Engineering-Support (EoE's) of 18 months for added flexibility and access to the new FortiCare Elite Portal. This intuitive portal provides a single unified view of device and security health.

Fortinet CSR Policy

Fortinet is committed to driving progress and sustainability for all through cybersecurity, with respect for human rights and ethical business practices, making possible a digital world you can always trust. You represent and warrant to Fortinet that you will not use Fortinet's products and services to engage in, or support in any way, violations or abuses of human rights, including those involving illegal censorship, surveillance, detention, or excessive use of force. Users of Fortinet products are required to comply with the Fortinet EULA and report any suspected violations of the EULA via the procedures outlined in the Fortinet Whistleblower Policy.







www.fortinet.com

Copyright © 2023 Fortinet, Inc., All rights reserved. Fortinet*, FortiGate*, FortiGate*, FortiGate*, and FortiGate*, and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet discislams all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinets General Coursed, with a purchaser that expressly warrants that the identified product will perform according to certain expressly-identified performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinets internal lab tests. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.